

Specifications

Model name			RTV-X		RTV-X CREW	RTV-X CAB	RTV-X LONG BED				
Grade			Basic		Premium	Standard	Premium	Standard			
Color			Orange								
Engine	Make and model		KUBOTA D1105-E4-UV								
	Type		3-cylinders, 4-cycle, diesel, OHV								
	Displacement cu.in (cc)		68.5 (1,123)								
	Horsepower HP (kW) / rpm		24.8 (18.5) @3,000			23.3 (17.4) @ 3,000					
	Cooling system		Liquid								
Battery			670 CCA								
Transmission			Variable hydro transmission (VHT-X)								
Gear selection			Hi-Lo range forward, neutral, reverse								
Max. traveling speed km/h			0-40								
4WD system	Front differential		Limited-slip differential								
	Rear differential		Foot operated differential lock								
Steering			Hydrostatic power steering								
Brakes	Front / Rear		Wet-disk brakes								
	Parking brake		Rear wheel, hand operated								
Suspension	Front / Rear		Independent, Dual A-arms with adjustable spring preload / Independent with coil over shock								
	Front / Rear suspension travel mm		205 / 205								
Ground clearance	Front mm		265		285		255		285		
	Rear mm		260		240		250		240		
Headlights			LED (Low)		LED (High / Low)						
Occupant Protective System (OPS)	Tubular overhead structure mm		50.8 (steel tube)								
	Seat belts		2-point								
	Certification		SAE J2194 and OSHA 1928 ROPS								
Dimensions	Length mm		3,050		3,123		3,610		3,123		3,925
	Width mm				1,605				1,660		1,605
	Height, overall mm		2,020				2,025		2,080		2,025
	Front tread centers mm		1,240				1,280		1,240		1,280
	Rear tread centers mm		1,240				1,280		1,240		1,280
	Wheelbase mm		2,045				2,495		2,045		2,495
	Turning radius m		4.0				5.2		4.0		5.2
Weight	kg		935		957		1,085		1,122		1,068
Towing capacity	kg		1,000				590		1,000		1,000
Payload capacity	kg		685		663		729		692		746
Cargo bed	Material		Steel								
	Width x Length x Depth mm		1,465 x 1,030 x 285			row 1 : 1,465 x 1,300 x 285 row 2 : 1,465 x 660 x 285		1,465 x 1,030 x 285		1,384 x 1,837 x 294	
	Volume m³		0.43			row 1 : 0.54 row 2 : 0.28		0.43		0.74	
	Bed height (unloaded) mm		887			900		887		908	
	Capacity kg		500			row 1 : 500 row 2 : 300		500		550	
	Hydraulic bed lift		Available			Equipped					
	Spray-on bed liner		Not available			Equipped					
3-way open			Not available		Equipped		Not available		Equipped		
Fuel tank capacity L			30								
Sound rating at operator's ear at max rpm db. (A)			84				83				82
Tires	ATV (All Terrain)		Available		Equipped				Available		
	HDMP (Heavy Duty Multi-Purpose)		25 x 10-12, 6-ply								
			Equipped								
Alloy wheel			Available		Equipped				Available		
Front guard			Basic		Premium		Standard		Premium		Standard

The company reserves the right to change the above specifications without notice. This brochure is for descriptive purposes only. Please contact your local Kubota dealer for warranty and safety information. The values in "Ground clearance" and "Weight" are those of the machine equipped with the tires in the table above. Some RTVs in this brochure are shown with optional accessories. For off-highway use only.



Kubota Australia Pty Ltd

25-29 Permas Way, Truganina VIC, 3029 Australia
Freecall: 1800-334-653
Email: sales@kubota.com.au

Web Site: <http://www.kubota.com.au>

Kubota New Zealand Limited

433 Rangitikei Street, Cloverlea, Palmerston North, 4412 New Zealand
Freecall: 0800-582-682
Email: sales@kubota.com.au

Web Site: <http://www.kubota.co.nz>

Kubota
Genuine Parts
for excellent
performance,
durability and
safety



V

KUBOTA 4WD DIESEL UTILITY VEHICLE

RTV-X SERIES

For Earth, For Life
Kubota



The RTV-X Series features four unique workhorse diesel utility-vehicles that help power your productivity, are tough and dependable and make you reimagine what a UTV is capable of.

RTV-X CAB

This workhorse diesel-powered Utility Vehicle is the epitome of comfort. With a factory-installed fully enclosed cab, air conditioning, heating and defrost, you can rest-assured you will remain comfortable no matter the weather.

RTV-X

When you have a job to get done look no further than the RTV-X. Seating for two and powered by our Kubota diesel engine, this machine is driven to do more.

RTV-X CREW

Easily transform the machine from a 1-row model with extra cargo bed space to a 2-row machine for additional passengers.

RTV-X LONG BED

With it comes a suite of new features like the long bed cargo box, ProKonvert functionality, and exclusive cargo box accessories no matter what job you have to get done.



DRIVEN TO DO MORE

TOUGH & DEPENDABLE

POWER YOUR PRODUCTIVITY

CAPABILITY RE-IMAGINED

Kubota continues its legacy with the introduction of the new RTV-X Series. The new model brings with it the foundational features that have made the X-Series so popular. This includes the Kubota Diesel Engine, VHT-X transmission and hydraulic dump bed and power steering. Besides those features that customers have come to love about the X-Series, the new RTV-X Series reaches a new level of refinement for Kubota utility vehicles. New features include a redesigned and aggressive exterior, LED headlights, new heavy-duty multipurpose tires, and a ProKonvert cargo box - available on select trims. No matter what job you have to get done, or how you like to spend your free-time, the RTV-X Series is driven to do more!



TOUGH & DEPENDABLE



KUBOTA DIESEL ENGINE

1922

Kubota's engine
production
started in 1922
**KUBOTA
ENGINE**

The legacy of the X-Series begins with the Kubota Diesel Engine at the heart of the new RTV-X. From towing and hauling to running through rough terrain the power provided by the engine ensures the machine will consistently show up to work as hard as you.



VHT-X (Variable Hydraulic Transmission)

Kubota's VHT-X provides exceptional performance on various terrain with smooth and powerful acceleration. Low-speed driving is made exceptional through smooth throttle control, great traction and maneuverability with or without loads. In addition, VHT-X HD (High Durability) is standard on RTV-X/CAB/LONG BED.

*VHT-X is standard on RTV-X CREW.



Towing Capacity

Standard two-inch hitch receivers are located at the front and back. New VHT-X HD (High Durability) increase towing capacity from 590 kg to 1,000 kg (rear hitch).* VHT-X HD provide powerful work performance in heavy duty task. Also, it will keep the work performance regardless of hilly area.

*RTV-X CREW's towing capacity is 590kg.

Wet Disk Brakes

The RTV-X Series uses multi-disk wet brakes which provide an excellent brake life. You'll also feel more secure, especially when traveling down long inclines, knowing that dynamic braking is helping to provide additional braking power and greater driving control.

Full Steel Frame

The high-rigidity steel frame helps isolate the occupants from noise and vibration. The structural strength of this frame can hold up to many different tasks and seasons, to help you power your productivity.

CV Joint Guard & Underbody Skid Plate

CV joint guards and heavy duty skid plates will protect the most critical parts of the engine and transmission.

Radiator Grill

Open the hood, and you'll find the radiator and air-intake located high and up front, where the air is cleaner and cooler. This helps both radiator performance and allows for quick access. Kubota's wide fin pitch design reduces clogging, further improving radiator performance.

POWER YOUR PRODUCTIVITY

Cargo Bed Capacity

It's not enough to get you there and back. You need to get your stuff there and back, as well. This heavy-duty steel cargo box can do that for you, carrying up to a half-ton (500kg) of tools, firewood, gear, supplies...whatever you need to haul from here to there and back again. Cargo tie-down hooks help keep your gear secure.

New Heavy Duty Tire

The new tire, which comes on select RTV-X models, are designed to match the aesthetic appeal of the exterior with more aggressive styling. Additionally, the tires hold up better* to wear, especially on paved surfaces.

*Compared to HDWS tire. Based on internal testing results.



Hydraulic Bed Dump

With the flick of a single lever, the hydraulic-lift cargo box rises and your cargo slides out. Cargo that could take significant physical strength and time to unload can now be dumped quickly with little effort.



Dynamic Brakes

One of the major benefits of the VHT-X transmission is the dynamic braking, which slows the vehicle down when you remove your foot from the throttle. It also provides drivers a sense of confidence as they travel down slopes. The ability to utilize one pedal operation creates a great experience, for both novice and experienced drivers alike.



Full-time 4WD

The selectable full-time 4WD system ensures outstanding traveling performance even under heavy loads, providing superior traction and excellent control under a wide range of terrain conditions. The 4WD system can easily be turned off when 2WD is sufficient for current driving conditions.

Hydraulic Power Steering

Responsive hydraulic power steering helps give you the control you need to tame almost any terrain. The steering wheel is tilt-adjustable, allowing you to set the optimum angle for your driving style.



Limited-Slip Differential

True 4WD with a limited-slip front differential and a locking rear differential help reduce wheelspin to a minimum, giving you greater control and a smoother ride on rough or muddy terrain.

CAPABILITY RE-IMAGINED



PROKONVERT CARGO BED



3-Way-Open

The new bed design allows you to open from either side, or the rear - especially useful for easily loading items in the back of the bed.

Bed Liner

The steel cargo bed is a big advantage for our Kubota X-Series, but we don't stop there. On the new cargo bed, we utilize a spray on liner to help reduce scratches and dents, for a more durable loading surface.

Flatbed Conversion

For customers loading bulky or awkwardly shaped materials, or having to load the bed with another piece of equipment, customers can easily convert the cargo bed into a flatbed without the use of any tools. A shining example of capability re-imagined.



LED Headlights

For the jobs that begin well-before the sun rises and continue on long-after the sun sets, the new LED headlights not only look cool, they illuminate the way so you can stay focused on the job at hand.



Maneuverability With Loads

Vehicle performance is one thing, but being able to maintain consistent performance under pressure is another. The vehicle handles extremely well with cargo in the bed - especially valuable for those moving materials, tools or equipment throughout the day.



Specialized Cargo Dump

The VHT-X transmission allows us to utilize a hydraulic bed dump, available on all models except the basic model, which raises and lowers much easier and faster than the competition. Additionally, you are able to control the speed of the movement for more precise applications.

PRODUCTIVITY *RTV-X LONG BED*



Dependable Cargo Bed

The RTV-X LONG BED delivers powerful hauling capability with a cargo capacity of 550 kg. Its rugged six-foot steel bed is engineered to handle a wide range of tasks.



Easy Release Tailgate

The tailgate can now be easily removed by one person.



Spring Loaded Tailgate Handle

The ergonomic handle shape is easy to grip and apply force to. When lifting the cargo bed, the return spring prevents the handle from touching the ground, helping to prevent damage.



Accessories for RTV-X LONG BED



Cargo Bed Winch

When used in conjunction with the tailgate extender, loads that humans cannot lift can easily be winched into the cargo bed. The bed winch can pull up to 340 kg with ease and can be operated with a wireless remote control.



Tailgate Extender

Take the strain out of heavy lifting with our innovative tailgate extender. Designed to work seamlessly with a cargo winch, it enables effortless loading of heavy items into your cargo bed - no manual lifting required. When not in use, it folds away, saving space and eliminating the need for removal.



LED Light Cargo Panel

Two 6" LED lights illuminate the cargo bed, making it easier to work in the early morning or late evening.

Most existing Kubota accessories are compatible with the RTV-X LONG BED.

K-VERTIBLE RTV-X CREW



Easy Cargo Bed Access

The ROPS structure provides a clean look and easy access to the cargo bed, in both 1-row and 2-row configurations. Customers can utilize the hydraulic dump bed in either configuration, allowing you to power your productivity.



1 or 2-Row K-Vertible Bed

Whether you need to bring more people, or haul more stuff - the RTV-X CREW transforms from a 1-row to a 2-row machine in a few simple steps. Plus with industry-leading cargo capacity in a 2-row configuration you can re-imagine the capability this RTV.

ALL-WEATHER RTV-X CAB



Fully-Enclosed Cab

The unibody cab and chassis frame create a cab enclosure that wraps you in comfort. The customer-centric design emphasizes your experience in the machine, while meeting SAE J2194 and OSHA 1928 ROPS standards. The perfect blend of utility-performance and all-weather comfort.



Enjoy the Ride

The perceivable noise has been reduced by almost 50%. Now drivers and passengers can enjoy the conversation as much as they enjoy their off-road experience.

*Compared to RTV-X1100C.



All-Weather Comfort

Standard on the RTV-X CAB, customers can enjoy A/C, heat and defrost capabilities - helping them stay comfortable in a variety of climates and weather conditions.



Refined Headrests

The RTV-X CAB features an updated headrest design, which matches the exterior aesthetic of the machine. It also provides head support for drivers and passengers to help create a comfortable experience.